

REQUEST FOR QUOTATION

The following is the minimum information required by Environamics, Inc. before we can initiate a quotation for your Movable Wall project. Please fill out this form completely, and attach a copy of the floor plan or drawing along with a drawing or sketch of a typical panel elevation. Floor plan must be to scale. Quotations are based on the information provided below. Any changes may result in an up-charge.

Dealer: Phone: Fax:		Project: Location:				
Floor Type (Car	i <u>on</u> g Height ~ Feet & Inch pet, Vinyl, Raised Com	puter, Etc.):				
FLUSH TILE	REVEAL TILE	CONCEALED GRID	☐OTHER — I.E. GYPSUM BOARD			
A FIII	NISHED CEILING A = B = C = D = E =	WINDOW / CEILING / SOFFIT C	ONDITIONS			
CROSS-SECTION OF EXTERIOR WINDOW www.environamics	CONDITION	1				

Pi	oject Stocking & Sta	ging li	nformation					
1.	Project is located on			floc	or			
	Loading dock is avail				0			
3.	Freight elevator is av	ailable	Yes	s N	0			
Pi	oduct Information							
4.	Panel surface finish v	vill be				(vinyl	or fabric r	number & description.
lf r	multiple fabrics are to be	used,	elevation draw	ings ma	ıy be re	quired to show	w size and	location on panels.
5. Aluminum trim finish will be:								
	OW Off White	GL G	Grey Light		GM Gr	ey Medium	GR	Greige
	MC Mocha	KH	Khaki		SD S	Sand	SL	Slate
	OB Off Black							
	AC Anodized Clear	AB A	nodized Bronz	ze	МВ Ме	tallic Bronze	СН	Metallic Champagne
6.	Vinyl base finish will I	oe:						
	OW Off White	Gl	Grey Light		GR	Greige		MC Mocha
	PU Putty	SL	Slate		ОВ	Off Black		
	Vinyl base height will Glazing options:	be:	4" (smoot	h)	6" (textured)		
	Door side light – single	pane		Framed	alumin	um single gla	ss panel	
Door side light – multi-lite			Framed	Framed aluminum multi-lite panel				
	Clerestory – single par	ne		Framed	alumin	um solid inse	rt/glass ins	sert
	Clerestory – multi-lite							
Sp	oecial window – descril	oe:						
9.	Furniture will hang or	the w	all (provide lo	ocation	s on dr	awings, size	s and type	es):
	AO1 or AO2 AO3		Ethospace		Other:			
	. Acoustical batting is r				g)	Yes	No	
	Gypsum panels with	standa	ırd vertical ele	ectrical	option	s in panels.		
	4 circuit/8 wire modular base electrical system.							

Location of source for building electrical connection (above ceiling, floor, wall, column, etc.):

Tele/data requirements

Light switches

Door and Door Hardware Information

12. Hardware finish								
26d Satin Chrome	10b Brushed	10b Brushed Bronze		Other				
13. Door hardware function14. Provide floor stop15. Doorfinish:	Locking Yes	No	Passa	age				
Paint Grade (provide co	lor sample)							
Wood veneer (provide f	Wood veneer (provide finish sample)							
Laminate (provide finish	sample)							
16. Doortype:								
Partial height door								
Full height door								
Door & matching transo	m panel							
17. Door size	wide x			_ tall				
Installation Information								
18. Environamics to provide ins	stallation		Yes	No				
19. Dealer to provide installation			Yes	No				
20. Environamics to provide supervision			Yes	No				
21. After-hours or weekend installation is required			Yes	No				
22. Reconfigure of existing product is required			Yes	No				
(Note: Environamics is non-uni	ion)							
Request submitted by					Date			

Additional information: